
```
https://mirrors.tuna.tsinghua.edu.cn/OpenBSD/
```

```
[global]
index-url = https://mirrors.aliyun.com/pypi/simple/
[install]
trusted-host=mirrors.aliyun.com
```

```
#pkg_add python
quirks-3.183 signed on 2020-03-10T23:00:24Z
Ambiguous: choose package for python
a      0: <None>
```

```
1: python-2.7.16p1
2: python-3.6.9
3: python-3.7.4
```

Your choice:

o

```
#pkg_add py3-pip
```

```
#python3.7 -m pip install --upgrade pip
```

```
# pkg_add vim
quirks-3.183 signed on 2020-03-10T23:00:24Z
Ambiguous: choose package for vim
a      0: <None>
      1: vim-8.1.2061-gtk2
      2: vim-8.1.2061-gtk2-lua
      3: vim-8.1.2061-gtk2-perl-python-ruby
      4: vim-8.1.2061-gtk2-perl-python3-ruby
      5: vim-8.1.2061-gtk3
      6: vim-8.1.2061-gtk3-lua
      7: vim-8.1.2061-gtk3-perl-python-ruby
      8: vim-8.1.2061-gtk3-perl-python3-ruby
      9: vim-8.1.2061-no_x11
     10: vim-8.1.2061-no_x11-lua
     11: vim-8.1.2061-no_x11-perl-python-ruby
     12: vim-8.1.2061-no_x11-perl-python3-ruby
     13: vim-8.1.2061-no_x11-python
     14: vim-8.1.2061-no_x11-python3
     15: vim-8.1.2061-no_x11-ruby
```

Your choice:

```
export LANG="zh_CN.UTF-8"
export LC_CTYPE="zh_CN.UTF-8"
export LC_COLLATE="zh_CN.UTF-8"
export LC_TIME="zh_CN.UTF-8"
export LC_NUMERIC="zh_CN.UTF-8"
```

```
export LC_MONETARY="zh_CN.UTF-8"
export LC_MESSAGES="zh_CN.UTF-8"
export LC_ALL="zh_CN.UTF-8"

/usr/bin/tmux has -t work
if [ $? != 0 ]; then
    /usr/bin/tmux new -s work -d -n OpenBSD
fi
/usr/bin/tmux att -t work
```

```
$python3.7 --version
Python 3.7.4
```

```
$pip3.7 --version
pip 20.0.2 from /usr/local/lib/python3.7/site-packages/pip (python
3.7)
```

```
$pip3.7 install --user xlrd
$pip3.7 list
openbsd$ pip3.7 list
Package      Version
-----
jdcal        1.4.1
pip          20.0.2
setuptools   41.0.0
xlrd         1.2.0
```

```
#pip3.7 install xxx
```